

A modern interior space featuring a teal-colored lift shaft structure on the left. The shaft has glass panels and is illuminated from within. To the right, there is a lounge area with teal armchairs, a coffee table, and a large abstract artwork on the wall. The ceiling is dark with several circular pendant lights. The overall atmosphere is sophisticated and contemporary.

LIFTS IN PUBLIC

CIBES LIFT PRODUCT GUIDE
FOR PUBLIC OR COMMERCIAL BUILDINGS

Cibes



Cibes Lift has been in business since 1947 and is the market leader of screw-driven platform and cabin lifts. We offer you a wide range of lift models, sizes and design choices to meet the needs of architects, contractors and most importantly, lift users. Our lifts are known for their reliability, attractive design and user-friendliness, which makes them perfect for public environments.



THE IDEAL PUBLIC ACCESSIBILITY SOLUTION

Cibes lift solutions are flexible in terms of sizes and design choices. The space-saving lift construction and our timeless Scandinavian design will adapt to any architectural style.





CIBES LIFT SOLUTION

- Fast and easy to install
- Reliable drive system – 100% electric
- A cost-efficient alternative to conventional lifts
- Many exclusive design options
- Quality product from Sweden



INTELLIGENT DESIGN

Cibes lift solutions are prefabricated and constructed for a minimal impact on your building. All lifts are delivered with everything you need, including doors and, for most models, even a ready-made lift shaft in steel or glass.





Glass creates an open and airy space. Cibes platform lifts can be glazed on all sides for a 360 degree panoramic view, which is quite unique. A fully glazed lift shaft looks spectacular but also makes the most of the light. The lift shaft is complimented by doors with panoramic glazing.



FLEXIBLE & MODERN

The space saving footprint and 360 degree panoramic glazing of the lift shaft make Cibes lifts fit in any building. With a lifetime of at least 25 years and Energy Label A, a lift from Cibes is a very cost-efficient investment.





 ELEVADOR





SAFE AND USER-FRIENDLY

Installation and service are key to lift safety. This is why all certified Cibes dealers are trained to install and maintain our lifts. Your Cibes lift is a safe product, as long as you follow the instructions in our user manual.





Cibes cabin lifts combines the advantages of platform lift technology with the comfort of a fully enclosed cabin. Lift operation is automatic and virtually soundless. The LED lit ceiling, control panel and inset mirrors exude timeless elegance.



CABIN LIFTS FOR OPEN-PLAN LIVING

If you buy a cabin lift from Cibes Lift, you get a high-quality product with the same sense of luxury and comfort as a conventional lift, but at a fraction of the cost. Cibes Lift provides smart, prefabricated cabin lifts that are fast and easy to install without major construction work. The perfect choice for any building.





Cibes lift solutions can be installed in places where conventional lifts cannot. Cibes platform lifts are extremely compact and have minimal impact on the surrounding building, thanks to the low pit and headroom and the integrated machine room. You do not even have to construct a lift shaft, we deliver it for you!




FOR HEAVY AND LARGE GOODS

The goods lift is very suitable for use in shops, warehouses and care homes. The large platform area, the lifting capacity of 1000 kg and the extra large doors with large clear opening size are appreciated features.

Unlike many other freight lifts, Cibes A8000 lift is also accessible for people.





SILENCE MADE IN SWEDEN

Silence and green energy are highly valued in today's modern architecture. This is why Cibes Lift has developed the ECO Silent System. We believe that our new drive system will revolutionize the way we perceive screw-driven lifts. The ECO Silent system not only makes the operation of our lifts virtually silent. It also makes our lifts much more energy-efficient than other comparable lifts. The ECO Silent System preserves your silence and reduces your power consumption. A perfect solution.

Silent operation


Lifts equipped with the EcoSilent system are extremely quiet. Inside the lift, the sound level is 55 dB equivalent to the sound of moderate rainfall. Outside the lift, the sound level is 40 dB which can be compared to the sound of a modern fridge.

Energy-efficient drive

Cibes EcoSilent drive system carries Energy Label A and only uses an estimated 215 kWh per year, which is less than a modern washing machine. A lift equipped with EcoSilent will consume about 45% less than a lift without. A great investment.



A lift equipped with our innovative drive system carries Energy Label A and uses 45% less energy than a lift without. Yearly energy consumption based on a 2 stop lift with 3.6 m travel, equipped with EcoSilent and a frequency of use of 20 travels/day. Energy classification according to VDI 4707 Part 1: 2009. Tests conducted by Liftinstituut B.V. www.liftinstituut.com. Decibels measured 2 m from the lift, at constant speed and with a 150 kg load. All tests conducted by Springwell Audio AB, member of the Swedish Acoustical Society, www.springwellaudio.se.



STEP BY STEP ALL THE WAY THROUGH YOUR PROJECT

THE 1-2-3 SYSTEM:

Step 1: Cibes Lift UK provides personal advice for your specific situation.

Step 2: Fast delivery and installation.

Step 3: Service provided by Cibes Lift UK.


QUALITY INSTALLATION

Cibes Lift UK can visit the installation site in order to find the best lift solution for you. The lift is custom-made, so you can rest assured that it will fit.


In most cases, the lift installation requires no major structural alterations to your home and takes just a few days to complete.

SERVICE

Our screw-driven technology is simple and robust to reduce the need for maintenance. Nevertheless, it is important to keep your lift in good order. Therefore, we always recommend that you sign a service contract with Cibes Lift UK.




Keep in touch with us:
info@cibeslift.co.uk




DAY 1 – INSTALLATION

First day – The bottom frame, guides and platform are installed. Your platform lift can be installed with or without a lift pit.



DAY 2 – INSTALLATION

Second day – The doors, shaft and platform cladding are installed, all electrics are plug & play and easy to connect.



DAY 3 – INSTALLATION

Third day – The finishing touches are applied and all functions of the lift are tested. Your lift is now ready to use.

A VERSATILE & SMART LIFT CONCEPT

Cibes lift solutions are completely ready-made products, delivered to you in manageable size packages. This makes installation fast and easy. Lifts from Cibes are cost-efficient and attractive accessibility solutions that suit most environments.



The perfect accessibility solution

No machinery on top, low headroom.
Energy-saving LED lit ceiling.


Shaft panels in steel or in safety glass.
All four sides can be glazed.

Wide choice of door models; steel doors, aluminium doors, gates, EI60 fire rated doors.

Concealed or externally fitted power door openers as an option.

The Cibes A5000 is designed to have a small footprint and a maximum of space inside.





ALTERNATIVES FOR YOUR COMFORT

A full-height mirror is available for the cabin wall opposite the door. The classic control panel is equipped with tactile and illuminated push buttons in compliance with European Accessibility Standard EN 81-70. The control panel can be delivered in up to 300 colours or in brushed stainless steel.

SHAFT

Choose between steel or glass panels



LED LIGHT

Energy-saving and durable shaft lighting



LOCKING SYSTEMS

Control the access to your lift
Code lock for auto lock



DOOR ALTERNATIVES

Steel, aluminium or fire rated



A25



A15



A20 (EI60G)



A5



A6



A10 (EI60)

CALL BUTTONS



Call button
White, grey or black
face plate



Call button
RFID tag reader
for auto lock



Call button
Key lock for
auto lock/
central lock



Touchscreen
call button.
Integrated level
indicator



External
Call button

LEVEL INDICATOR



Level indicator for the doors
and/or platform

MIX AND MATCH WITH COLOURS AND MATERIALS

It is easy to transform your lift into a beautiful, architectural feature. Get inspiration from our design examples, or create your very own lift design by mixing different colours and materials.



Steel panel. RAL 9016,
Standard black floor.



Steel panel. RAL 9016,
Platform:RAL 9006 Standard black floor.



Steel panel. RAL 9006
Standard black floor.



Steel panel. Anodic bronze,
Surestep floor, Red pepper.



Steel panel. Anodic gold,
Surestep floor, Oak wood.



Steel panel. RAL7021, Platform:
Anodic Gold. Surestep floor,Oak wood.



Tinted glass shaft. RAL 9006 STD
Standard black floor.



Clear glass shaft. RAL 3013,
Safestep grey floor.




Clear glass shaft. RAL7021,
Surestep floor, Oak wood.

CUSTOMIZE YOUR PLATFORM LIFT

Cibes C1 Pure offers you the freedom to combine the ceiling, profiles and control panel of your choice with any colour.


COLOURS




RAL 9016



RAL 9006



RAL 7016



Amethyst 2



RAL 9005



Quartz 2



Azurite 4



January 4



White Pearl BD



Anodic Gold

FLOOR OPTIONS



Altro Contrax
Nearly Black



Surestep - Wood
Natural Oak 18942



Surestep - Wood
Rustic Oak 18972



Surestep
Star Snow 178082



Surestep
Black Seagrass 18572




Surestep
Grey Seagrass 18562



Safestep
Aqua Taupe 180232



Surestep
Original Umber 171262



Surestep
Pepper 171562



Surestep
Quartz Stone 17512

The lift floor is delivered in dark grey, anti-slip PVC as standard, but we offer a wide range of different floor styles. Choose one of our wood, stone or aluminium floor styles, or customize your own floor with laminate or tiles.

GLASS FOR SHAFT AND DOORS



Clear glass



Arctic Snow



Polar White



Light Fume Brown



Light Fume Grey



Dark Fume Brown

A VERSATILE & SMART LIFT CONCEPT

Cibes lift solutions are completely ready-made products, delivered to you in manageable size packages. This makes installation fast and easy. Lifts from Cibes are cost-efficient and attractive accessibility solutions that suit most environments.



DISCOVER THE UNIQUE ADVANTAGES OF SCREW-DRIVEN CABIN LIFT CIBES C1 PURE.



- **Reduced top height**

The 2500 mm top height fits easily under most ceilings.

- **Machine room less**

The machinery fits inside the shaft, no need for a separate machine room.

- **Screw-driven system**

Reliable 100% electric screw-driven system, no hydraulics.

- **Energy-saving LED technology**

The ceiling is illuminated by durable and energy-saving LED lights.

- **Automatic telescopic doors**

Automatic telescopic doors for landings and cabin.

- **Space-saving doors**

The doors slide open without obstructing the space on the landings.

- **One touch operation**

One touch operation at landings and inside the cabin.

- **Reduced lift pit**

At the bottom floor, a shallow pit of 100 mm is enough.

ALTERNATIVES FOR YOUR COMFORT

A full-height mirror is available for the cabin wall opposite the door. The classic control panel is equipped with tactile and illuminated push buttons in compliance with European Accessibility Standard EN 81-70. The control panel can be delivered in up to 300 colours or in brushed stainless steel.

SHAFT OR NO SHAFT

Choose between steel or glass panels



DOOR ALTERNATIVES

Steel, aluminium or fire rated



CS0 (CSEI60 no button)

CS1

CONTROL PANEL ALTERNATIVES

Glass touch screen or steel



LED LIGHT

Energy-saving and durable lighting



CALL BUTTONS



Call button
White, grey
or black
face plate

Call button
RFID tag
reader
for auto lock

Call button
Key lock for
auto lock/
central lock

Touchscreen
call button.
Integrated level
indicator

External
Call button



Walls: White standard laminate. Black profiles. Control panel: Black. Ceiling with LED light RAL 9016.



Walls: Brushed Argent laminate, mirror. Coated control in RAL9006. Coated ceiling in RAL 9006 with LED-light.



Walls: Folkstone laminate, matching profiles RAL830. Open through with white door. Control panel stainless steel. Ceiling: RAL830 with LED-light.



Walls: Folkstone laminate, black coated profiles. Black coated control. White coated ceiling with LED-light.




Walls: Laminate: Oyster grey, mirror and laminate with matching coated profiles: RAL1015. Black touch control. Light screen ceiling.



Walls: Glass, mirror and laminate: Otter. Black profiles. Black touch control. Light screen ceiling.



Walls: Glass, glass and laminate: Terril. Black profiles. Black touch control. Light screen ceiling.



Walls: Glass, mirror and laminate: Just Rose. Matching coated profiles and control panel RAL 490. Light screen ceiling.



Walls: Glass and laminate: Magnolia. Black profiles. Touch control. Light screen ceiling.



Walls: Glass, mirror and laminate: Polar Aland Pine. Black profiles. Touch control. Light screen ceiling.



Walls: Glass, mirror and laminate: Nevada Oak. Black profiles. Touch control. Light screen ceiling. Floor: Rustic Oak.



Walls: Glass, mirror and laminate: Black Wood. Black profiles. Touch control. Light screen ceiling.



Walls: White laminate, open through with white door with matching profiles. Black touch control. Light screen ceiling.



Walls: Glass, open through with glass door. Fontana laminate, black profiles. Black touch control. Light screen ceiling.



Walls: Glass, open through with glass door. Brushed Argent laminate, Black profiles. Control panel: Stainless steel. Light screen ceiling.



Walls: Brushed Argent laminate, Black profiles. Black touch control. Light screen ceiling.

CUSTOMIZE YOUR CABIN LIFT

Discover our wide range of colours, materials and floors. For more information, please visit www.cibeslift.com.

LAMINATE FOR CABIN WALLS




Pure White
F8100 SHL



Brushed Argent
M5311



Folkstone
F7927



Magnolia
F1534



Oyster Grey
F7929




Otter
F3202



Terril
F2297



Just rose
F8858



Arctic Blue
F5493



Fontana
F1850



Polar Aland Pine
H3433 ST22



Nevada Oak
F8588



Black Wood
U999 ST12

FLOOR OPTIONS




Altro Contrax
Nearly Black



Surestep - Wood
Natural Oak 18942



Surestep - Wood
Rustic Oak 18972



Surestep
Star Snow 178082




Surestep
Black Seagrass 18572



Surestep
Grey Seagrass 18562




Safestep
Aqua Taupe 180232



Surestep
Original Umber 171262



Surestep
Pepper 171562




Surestep
Quartz Stone 17512

GLAZING OPTIONS FOR SHAFT



Clear glass



Arctic Snow



Polar White



Light Fume Brown



Light Fume Grey



Dark Fume Brown

TECHNICAL INFORMATION - PLATFORM LIFTS

TECHNICAL INFORMATION	Cibes Lift A8000, A5000, A5000H
Lift location	Indoors / Outdoors*
Rated load kg	400 - 1000 kg
Rated speed (m/sec)	Max 0.15
Travel height	Up to 13 m
Min.headroom at top landing	2250/1100 mm (A5000H: 2350 mm)
Pit depth without ramp	50 mm or 130** mm
Maximum number of stops	6 stops
Doors and gates	Single hinged
Door clear opening (wxd)	800-1300x1800-2300 mm
Gate clear opening (wxd)	800-900x1100 mm
Drive system	Screw and nut, with safety nut
Control system	Micro computer based system
Standard power supply	400 VAC 3-phase 50/60 Hz 16 A***
Motor power	2.2 KW/4.0**** KW
Manufactured in	Sweden

* Outdoor available for Cibes A5000, platform sizes 1000x1467 and 1100x1467 mm.
 **For Cibes A8000.
 ***1x230 VAC and 3x230 VAC available as options for A5000 and A5000H, 3x230 VAC for A8000.
 ****For Cibes A8000



DRAWINGS FOR DOWNLOAD



STANDARDS AND CERTIFICATES
 Type Certificate
 Green Label/Energy Certificate:
 A with direct start
 B with soft start

ACCESS CONFIGURATIONS



1. Single entry (2 stops)



2. Adjacent (2 stops)



3. Open-through (3 stops)

FLEXIBLE CONFIGURATION
 Cibes Lift offers a great choice of lift sizes, door models, finishes and accessories so that you can adapt the lift configuration to your taste and requirements.

Cibes A8000 PLATFORM LIFT WITH LOW BACK		Cibes A5000 PLATFORM LIFT WITH LOW BACK		Cibes A5000H PLATFORM LIFT WITH HIGH BACK	
Platform sizes (wxd) mm	Rated load	Platform sizes (wxd) mm	Rated load	Platform sizes (wxd) mm	Rated load
1105 x 2180	1000 kg	900 x 1467	400-500 kg	900 x 1467	400-500 kg
1405 x 1980	1000 kg	1000 x 1467	400-500 kg	1000 x 1467	400-500 kg
1000 x 930	1000 kg	1100 x 1467	400-500 kg	1100 x 1467	400-500 kg
1405 x 2480	1000 kg	1100 x 1597	500 kg		
		1000 x 1967	500 kg		

*Other platform sizes available:
 800 x 1217, 1000 x 1267, 1100 x 1367.



TECHNICAL INFORMATION - PLATFORM LIFTS

TECHNICAL INFORMATION	Cibes C1 Pure
Lift location	Indoors
Rated load kg	525 or 630 kg
Rated speed (m/sec)	Max 0.15
Travel height	Up to 15 m
Min.headroom at top landing	2500 mm
Pit depth without ramp	100 mm recess
Maximum number of stops	6 stops
Landing doors	Telescopic sliding doors
Landing door clear opening (wxd)	900x2100 mm
Cabin door	Telescopic sliding door
Drive system	Screw and nut, with safety nut
Control system	Micro computer based system
Standard power supply	400 VAC 3-phase 50/60 Hz 16 A*
Motor power	4.0 kW**
Manufactured in	Sweden

*230 VAC 3-phase 50/60 Hz 16 A as an option

**3.7 kW motor for 230 VAC 3-phase



DRAWINGS
FOR DOWNLOAD



STANDARDS AND CERTIFICATES
Type Certificate

ACCESS CONFIGURATION



1. Single entry (2 stops)



2. Open-through (3 stops)

FLEXIBLE CONFIGURATION

Cibes Lift offers a great choice of cabin sizes, door models, finishes and accessories so that you can adapt the lift configuration to your taste and requirements.

Cibes C1 Pure CABIN LIFT WITHOUT SHAFT		Cibes C1 Pure CABIN LIFT WITH MODULAR SHAFT	
Cabin size (wxdxh) mm	Rated load	Cabin size (wxdxh) mm	Rated load
1100x1200x2130	525 kg	1100x1200x2130	525 kg
1100x1400x2130	630 kg	1100x1400x2130	630 kg
1100x1700x2130	630 kg		



MADE IN SWEDEN

Cibes Lift is a world-leading manufacturer of screw-driven platform and cabin lift solutions for private and public settings. Our head office, factory and R&D department are located in Sweden, a country known for its smart, highquality products and environmental awareness.

All Cibes lift models carry the CE mark and go through extensive testing and quality checks before leaving our factory. Our lifts are Certified products that comply with European quality standards, Machinery Directive 2006/42/EC and EN 81-41. This product information is general and we reserve the right to modify product design and specifications. Minor deviations in color reproduction can occur.

The brand Cibes Lift is owned by Cibes Lift Group AB. © CIBES LIFT GROUP AB 2019

