



The Dalby Glide Hi-Rise platform lift is British built and complies to the Machinery Directive and part M-Building regulations.

Using the ultra reliable and low maintenance self sustained nut and screw drive the Glide can be specified with up to 6 stops and a lifting height of 10M.

The modular design of the Glide Hi-Rise platform lift allows the lift to be configured with a wide range of enclosure and door configurations to suit even the most awkward sites.

A wide range of colours and enclosure options including half height gate, fully glazed or external package ensures that the Glide Hi-Rise will discretely blend into the surrounding building. With platform illumination and emergency lowering both battery backed the Glide provides a worry free solution to your access requirements.










www.dalbyplatformlifts.co.uk

HILRISE





The Dalby Glide Hi-Line platform lift brings an 'elevator' feel to a platform lift for only a fraction of the cost.

Fully complying with building regs 2000 part M, ISO 9386-1 and CE marked, this latest addition to the Glide range is based on the popular Hi-Rise platform lift but features a full mirrored cab back wall with LED Hi-Line lighting and illuminated control panel.

The Glide Hi-Line platform lift can be specified with a variety of options including visual annunciation, audible annunciation and powered doors. This gives all the benefits of a moving carriage lift with the ease of installation and maintenance of a platform lift. With platform illumination and emergency lowering both battery backed the Glide provides a worry free solution to your access requirements.









www.dalbyplatformlifts.co.uk







Half Gate:

LIFT OPTIONS



External Roof:



Special RAL colours available:



Approved Certificate No: 912451

Bespoke RAL colours available on request. Colours shown for illustration purpose only

STANDARD COLOURS:



> 5010 - Gentian Blue

9003 - Signal White <



9005 - Jet Black

Colours for doors only - structures are in white. Bespoke RAL colours available on request. Colours shown are for illustration purpose only.


OPTIONAL COLOURS:

A fixed cost RAL range is available in -





> 1023 - Traffic Yellow

3005 - Wine Red





6029 - Mint Green











SPECIFICATIONS:

Model:

Hi-Rise & Hi-Line

Height:

up to 10 Meters

No. of stops:

up to 6

Rated Load:

400kg

Platform Size:

1480 x 1100mm 1480 x 1000mm

1480 x 900mm

Bespoke sizes available

Pit Depth:

50mm or 50mm ramp

Power:

240V 20A or 3 phase 400V 10A

Lifting Mechanism:

Self sustained nut and screw

STANDARD FEATURES:

- > Fully Glazed doors
- > Soft Start Soft Stop
- Battery powered emergency backup

ADDITIONAL OPTIONS:

- Keyswitch Isolation
- Remote controlled doorcall points
- Stainless Steel Grab Rail and Door Handles
- > Platform Autodialer
- > Platform Audible / Visual Annunciation
- Automatic powered doors
- > Supplementary Visual Alarm

www.dalbyplatformlifts.co.uk



The Company

Founded in 1964 Dalby utilise the very latest computer aided design and production machinery to expertly manufacture the Dalby range of platform lifts.

Operating from our 39,000 sq. ft. factory and office complex in Leicester UK, Dalby are able to provide an un-rivalled bespoke design, manufacture, installation and after sales service to all our customers.



Platform Lifts Have Evolved

₩ DESIGNED AND BUILT IN BRITAIN

Your Local Dalby Dealer:



Dalby Platform Lifts is part of Harry Dalby Engineering Ltd.

www.dalbyplatformlifts.co.uk